

Water-Data Report 2008

05060000 MAPLE RIVER NEAR MAPLETON, ND

Devils Lake-Sheyenne Basin Maple Subbasin

LOCATION.--Lat 46°51′58", long 97°06′22" referenced to North American Datum of 1927, in SW ¼ NE ¼ sec.10, T.139 N., R.51 W., Cass County, ND, Hydrologic Unit 09020205, on right bank upstream of county bridge and 3 mi southwest of Mapleton.

DRAINAGE AREA.--1,450 mi² of which 70 mi² probably is noncontributing.

SURFACE-WATER RECORDS

PERIOD OF RECORD.--DAILY DISCHARGE--October 1958 to September 1975, March 1, 2001, to current year (seasonal). Record not equivalent at extreme high flows to station 05060100 that was operated from April 1944 to September 1958 (7 mi downstream) published as "at Mapleton" and March 1995 to present (9 mi downstream) published as "below Mapleton".

PERIOD OF RECORD.--DAILY GAGE HEIGHT--March 2000 to current year (seasonal records only).

GAGE.--Water-stage recorder and rubble masonary dam. Datum of gage is 886.43 ft above National Geodetic Vertical Datum of 1929 (survey by North Dakota State Water Commission, 2004). Prior to October 1, 2001, at datum 7.10 ft higher.

REMARKS.--Records fair except for estimated daily discharges, which are poor.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,990 ft³/s, June 13, gage height, 18.98 ft; minimum daily discharge, 3.8 ft³/s, March 8.

05060000 MAPLE RIVER NEAR MAPLETON, ND—Continued

DISCHARGE, CUBIC FEET PER SECOND WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008 DAILY MEAN VALUES

[e, estimated]

1 e4.2 e250 82 27 142 22 e7. 2 e4.0 e265 80 27 158 21 e33 3 e4.0 e260 92 32 167 21 e31 5 e4.0 e250 84 33 130 18 e27 6							te, estimate	uj				A		
2 e4.0 e265 80 27 158 21 e33 3 e4.0 e260 92 32 167 21 e31 4 e4.0 e2250 84 33 130 18 e27 6 e4.0 e250 84 33 130 18 e27 6 e4.0 e270 72 295 108 17 c22 7 e3.8 e250 63 412 91 21 e15 8 e3.8 e250 63 412 91 21 e15 9 e6.0 620 58 223 80 24 e14 10 e5.3 189 49 189 119 22 e14 <th>Day</th> <th>Oct</th> <th>Nov</th> <th>Dec</th> <th>Jan</th> <th>Feb</th> <th>Mar</th> <th>Apr</th> <th>May</th> <th>Jun</th> <th>Jul</th> <th>Aug</th> <th>Sep</th>	Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	
2 e4.0 e265 80 27 158 21 e33 3 e4.0 e260 92 32 167 21 e31 4 e4.0 e226 95 35 152 20 e30 5 e4.0 e250 84 33 130 18 e27 6 e3.9 e270 67 784 93 19 e18 8 e3.8 e250 63 412 91 21 e15 9 e3.8 e250 63 412 91 21 e15 9 e6.0 6220 58 223 80 24 e14 10 e5.3 189 49 189 119 <th>1</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>e4.2</th> <th>e250</th> <th>82</th> <th>27</th> <th>142</th> <th>22</th> <th>e7.5</th>	1						e4.2	e250	82	27	142	22	e7.5	
3 e4.0 e260 92 32 167 21 e31 4 e4.0 e245 95 35 152 20 e30 5 e4.0 e250 84 33 130 18 e27 6 e4.0 e270 72 295 108 17 e22 7 e3.9 e270 67 784 93 19 e18 8 e3.8 e250 63 412 91 21 e15 9 e4.0 e220 58 223 80 24 e14 10 e7.0 170 50 522 168 21 159 12 e6.1 156 46 </th <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>e4.0</td> <td>e265</td> <td>80</td> <td>27</td> <td>158</td> <td>21</td> <td></td>	2						e4.0	e265	80	27	158	21		
5 e4.0 e250 84 33 130 18 e27 6 e4.0 e270 72 295 108 17 e22 7 e3.9 e270 67 784 93 19 e18 8 e3.8 e250 63 412 91 21 e15 9 e4.0 e220 58 223 80 24 e14 10 e5.3 189 49 189 119 22 e14 11 e6.8 156 46 1,730 153 38 295 13 e6.1 156 40	3						e4.0	e260	92	32	167	21		
5 e4.0 e250 84 33 130 18 e27 6 e4.0 e270 72 295 108 17 e22 7 e3.9 e270 67 784 93 19 e18 8 e3.8 e250 63 412 91 21 e15 9 e4.0 e220 58 223 80 24 e14 10 e5.3 189 49 189 119 22 e14 11 e6.8 156 46 1,730 153 38 295 13 e6.1 156 40	4						e4.0	e245	95	35	152	20	e30	
7 e3.9 e270 67 784 93 19 e18 8 e3.8 e250 63 412 91 21 e15 9 e4.0 e220 58 223 80 24 e14 10 e4.0 e220 58 223 80 24 e14 10 e5.0 170 50 522 168 21 159 12 e6.8 156 46 1,730 153 38 295 13 e6.1 156 40 1,910 142 33 250 15 e5.4 163 36 1,150 114	5						e4.0	e250	84	33	130	18		
8 e3.8 e250 63 412 91 21 e15 9 e4.0 e220 58 223 80 24 e14 10 e5.3 189 49 189 119 22 e14 11 e7.0 170 50 522 168 21 159 12 e6.1 156 46 1,730 153 38 295 13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16	6						e4.0	e270	72	295	108	17	e22	
9 e4.0 e220 58 223 80 24 e14 10 e5.3 189 49 189 119 22 e14 11 e6.8 156 46 1,730 153 38 295 12 e6.1 156 46 1,730 153 38 295 13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17	7						e3.9	e270	67	784	93	19	e18	
9 e4.0 e220 58 223 80 24 e14 10 e5.3 189 49 189 119 22 e14 11 e7.0 170 50 522 168 21 159 12 e6.8 156 46 1,730 153 38 295 13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16 e5.1 142 30 679 107 18 117 17	8						e3.8	e250	63	412	91	21	e15	
10 e5.3 189 49 189 119 22 e14 11 e7.0 170 50 522 168 21 159 12 e6.8 156 46 1,730 153 38 295 13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17 e5.1 142 30 679 107 18 117 18	9						e4.0	e220	58	223	80	24		
12 153 38 295 13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17 e5.1 142 30 679 107 18 117 18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59	10													
13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17 e5.1 142 30 679 107 18 117 18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21 e50 116	11						e7.0	170	50	522	168	21	159	
13 e6.1 156 40 1,910 142 35 298 14 e5.8 159 41 1,560 124 33 250 15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17 e5.1 142 30 679 107 18 117 18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21	12						e6.8	156	46	1,730	153	38	295	
15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17 e5.1 142 30 679 107 18 117 18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21 e30 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33	13						e6.1	156	40	1,910	142	35	298	
15 e5.4 163 36 1,150 114 27 193 16 e5.2 155 34 835 121 22 149 17 e5.1 142 30 679 107 18 117 18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21 e18 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e63 97 25	14						e5.8	159	41		124	33		
17 e5.1 142 30 679 107 18 117 18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21 e30 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 <	15						e5.4	163			114	27		
18 e5.5 134 29 600 90 14 84 19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21 e30 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4	16						e5.2	155	34	835	121	22	149	
19 e9.0 126 30 558 80 12 59 20 e18 124 26 515 69 11 47 21 e30 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3	17						e5.1	142	30	679	107	18	117	
20 e18 124 26 515 69 11 47 21 e30 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2	18						e5.5	134	29	600	90	14	84	
20 e18 124 26 515 69 11 47 21 e30 123 32 464 63 e8.9 47 22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2	19						e9.0	126	30	558	80	12	59	
22 e50 116 30 408 55 e7.6 42 23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2 22 29 e170 89 29 151 25 e5.5 18	20												47	
23 e59 101 26 333 52 e6.8 33 24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	21						e30	123	32	464	63	e8.9	47	
24 e63 97 25 235 47 e6.1 30 25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	22						e50	116	30	408	55	e7.6	42	
25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	23						e59	101	26	333	52	e6.8	33	
25 e68 92 24 237 40 e5.7 28 26 e74 97 19 474 36 e5.4 27 27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	24						e63	97	25	235	47	e6.1	30	
27 e85 90 21 345 32 e5.3 23 28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	25							92			40		28	
28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18							e74	97	19	474	36	e5.4	27	
28 e100 84 22 213 30 e5.2 22 29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	27						e85	90	21	345	32	e5.3	23	
29 e130 87 21 172 27 e5.2 20 30 e170 89 29 151 25 e5.5 18	28						e100	84	22	213	30	e5.2	22	
30 e170 89 29 151 25 e5.5 18	29							87	21				20	
	30								29					
	31						e230		27		24	e5.9		
Total 1,174.1 4,930 1,380 15,148 2,839 503.6 2,152.	Total						1,174.1	4,930	1,380	15,148	2,839	503.6	2,152.5	
	Mean												71.8	
Max 230 270 95 1,910 168 38 298	Max													
													7.5	
Ac-ft 2,330 9,780 2,740 30,050 5,630 999 4,270														

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1958 - 2008, BY WATER YEAR (WY)


	0ct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Mean	12.3	11.0	4.22	1.24	0.72	144	511	143	204	207	33.2	22.1
Max	49.1	36.2	12.2	4.30	4.85	1,040	1,708	428	1,256	2,375	267	71.8
(WY)	(1972)	(1972)	(1963)	(1973)	(1973)	(1966)	(1969)	(1970)	(2005)	(1975)	(1962)	(2008)
Min	0.00	0.00	0.00	0.00	0.00	0.00	13.9	8.35	1.71	0.00	0.00	0.00
(WY)	(1961)	(1961)	(1961)	(1959)	(1959)	(1969)	(1959)	(1959)	(1961)	(1961)	(1960)	(1959)

05060000 MAPLE RIVER NEAR MAPLETON, ND—Continued

SUMMARY STATISTICS

	Water Years 1958 - 2008						
Annual mean	a _{95.8}						
Highest annual mean	^a 374	1975					
Lowest annual mean	a _{5.98}	1961					
Highest daily mean	11,300	Jul 2, 1975					
Lowest daily mean	0.00	Dec 13, 1958					
Annual seven-day minimum	0.00	Dec 13, 1958					
Maximum peak flow	b _{11,600}	Jul 2, 1975					
Maximum peak stage	23.43	Apr 1, 2006					
Annual runoff (ac-ft)	^a 69,430						
10 percent exceeds	149						
50 percent exceeds	7.4						
90 percent exceeds	0.00						

<sup>a Based on complete water years only (1959-75).
b Gage height, 22.13 ft, present datum.</sup>




Water-Data Report 2008

05060000 MAPLE RIVER NEAR MAPLETON, ND—Continued

GAGE HEIGHT, FEET WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008 DAILY MEAN VALUES

	DAILY MEAN VALUES Out Nov Doo lon Ech Mor Any Moy lun lul Aug S.													
Day	0ct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep		
1						8.47	11.93	9.07	8.53	9.49	8.43	8.47		
2						8.48	11.99	9.05	8.53	9.62	8.41	8.76		
3						8.45	12.19	9.14	8.60	9.70	8.40	8.76		
4						8.44	12.17	9.16	8.65	9.57	8.38	8.72		
5								9.08	8.63	9.40	8.35	8.70		
6						8.42	10.11	8.98	10.47	9.24	8.34	8.62		
7						8.42	10.22	8.94	13.41	9.13	8.38	8.52		
8						8.44	9.96	8.91	11.42	9.12	8.42	8.48		
9						8.45	9.93	8.87	10.16	9.03	8.46	8.48		
10						8.47	9.89	8.78	9.89	9.33	8.42	8.48		
11						8.48	9.73	8.80	11.86	9.71	8.41	9.63		
12						8.49	9.60	8.75	17.91	9.58	8.63	10.69		
13						8.51	9.61	8.70	18.69	9.48	8.60	10.71		
14						8.55	9.64	8.70	17.20	9.36	8.58	10.36		
15						8.59	9.67	8.66	15.23	9.29	8.50	9.92		
16						8.62	9.60	8.63	13.66	9.33	8.43	9.55		
17						8.69	9.48	8.58	12.91	9.24	8.35	9.31		
18						8.80	9.43	8.57	12.50	9.11	8.28	9.09		
19						8.90	9.38	8.57	12.28	9.02	8.24	8.89		
20						9.24	9.37	8.52	12.04	8.93	8.22	8.77		
21						9.93	9.36	8.60	11.76	8.88	8.22	8.77		
22						9.90	9.31	8.58	11.42	8.81	8.20	8.73		
23						9.81	9.21	8.52	10.94	8.78	8.18	8.63		
24						9.84	9.18	8.49	10.25	8.73	8.20	8.60		
25						9.66	9.14	8.48	10.24	8.65	8.20	8.56		
26						9.66	9.18	8.40	11.81	8.61	8.25	8.56		
27						9.70	9.12	8.42	11.02	8.56	8.28	8.48		
28						9.94	9.08	8.46	10.08	8.54	8.29	8.47		
29						10.75	9.10	8.44	9.75	8.51	8.42	8.44		
30						11.41	9.12	8.55	9.56	8.47	8.39	8.41		
31						12.03		8.53		8.46	8.43			
Mean								8.71	11.65	9.09	8.36	8.95		
Max								9.16	18.69	9.71	8.63	10.71		
Min								8.40	8.53	8.46	8.18	8.41		

05060000 MAPLE RIVER NEAR MAPLETON, ND—Continued



05060000 MAPLE RIVER NEAR MAPLETON, ND-Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--April 2001 to current year.

WATER-QUALITY DATA WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 1 of 3
[Remark codes: <, less than.]

Date	Time	Instan- taneous dis- charge, ft3/s (00061)	pH, water, unfltrd field, std units (00400)	pH, water, unfltrd lab, std units (00403)	wat unf lab, μS/cm	Specific ic conduc- tance, wat unf µS/cm 25 degC (00095)	Temper- ature, air, deg C (00020)	Temper- ature, water, deg C (00010)	Hard- ness, water, mg/L as CaCO3 (00900)	Calcium water, fltrd, mg/L (00915)	Magnes- ium, water, fltrd, mg/L (00925)	Potas- sium, water, fltrd, mg/L (00935)	Sodium adsorp- tion ratio (00931)
Apr													_
17	1410	141	8.6	8.0	1,090	1,060	17.2	10.3	470	106	50.1	11.6	1.5
Jul													
30	1140	25	8.4	8.4	1,430	1,430	22.9	25.7	600	133	66.0	10.2	1.6

WATER-QUALITY DATA WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 2 of 3

[Remark codes: <, less than.]

Date	Sodium frac- tion of cations percent (00932)	Sodium, water, fltrd, mg/L (00930)	ANC, wat unf fixed end pt, lab, mg/L as CaCO3 (90410)	Chlor- ide, water, fltrd, mg/L (00940)	Fluor- ide, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L as SiO2 (00955)	Sulfate water, fltrd, mg/L (00945)	Residue water, fltrd, sum of consti- tuents mg/L (70301)	Residue water, dis- solved, tons/d (70302)	Alum- inum, water, fltrd, µg/L (01106)	Anti- mony, water, fltrd, µg/L (01095)	Arsenic water, fltrd, µg/L (01000)	Barium, water, fltrd, µg/L (01005)
Apr													
17	25	73.3	196	40.7	.23	18.5	319	676	281	< 50	<1.00	5.3	40
Jul													
30	25	90.9	304	46.2	.27	21.3	449	887	66.9	< 50	<1.00	10.5	62

WATER-QUALITY DATA WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 3 of 3

[Remark codes: <, less than.]

Date	Beryll- ium, water, fltrd, µg/L (01010)	Boron, water, fltrd, µg/L (01020)	Cadmium water, fltrd, µg/L (01025)	Chromium, water, fltrd, µg/L (01030)	Copper, water, fltrd, µg/L (01040)	Iron, water, fltrd, μg/L (01046)	Lead, water, fltrd, µg/L (01049)	Mangan- ese, water, fltrd, μg/L (01056)	Nickel, water, fltrd, μg/L (01065)	Selen- ium, water, fltrd, µg/L (01145)	Silver, water, fltrd, µg/L (01075)	Thall- ium, water, fltrd, µg/L (01057)	Zinc, water, fltrd, µg/L (01090)
Apr													
 17	<1.00	111	<1.00	1.5	1.8	< 50	<1.00	56.0	4.3	2.0	<1.0	<1.00	1.1
Jul													
30	<1.00	243	<1.00	<1.0	3.4	< 50	<1.00	29.0	9.2	1.7	<1.0	<1.00	1.3